

EMCDDA activities related to infectious diseases among people who inject drugs

Roland Simon, Klaudia Palczak, EMCDDA Luxembourg, 6 July 2015

European Drug Report 2015

- Trends by substance
- Drug related harm
- Interventions

Activities in 2015



European Drug Report (EDR) package





Overview on trends




20 years of monitoring

- Overall decrease in heroin problems and related harms, although supply indicators raise new concerns
- Treatment systems and law enforcement efforts — cannabis increasingly important
- Emergence of new drugs continues and monitoring of use, harms and responses needs to keep pace
- Market competition and innovation drive purity and potency increases, with new virtual marketplaces emerging.

Heroin market

Drop in seizures from 2009 and long term decline in quantities, but increases for Turkey


Recent upturn in heroin purity






Over 50 % of problem opioid users receive treatment

Percentage of problem opioid users receiving substitution treatment (estimate)



Trends in number of clients in OST




NB: Data displayed as point estimates and uncertainty intervals.






Trends in treatment of opioid problems

New heroin clients more than halved from 2007 to 2013






Opioid users in treatment




Cocaine


Quantity of cocaine seized




Number of seizures



Last year use of cocaine











Amphetamines

Amphetamines: Seizures




Methamphetamines: Seizures







NPS reported




synthetic cannabinoids (N=30)

synthetic cathinones (N=31)

HIV diagnoses fall after outbreaks

Newly diagnosed HIV cases related to injecting drug use




Responses to outbreak in Greece and Romania



Hepatitis C

HCV antibody prevalence among injecting drug users



HCV antibody levels among drug injectors vary between 14 % and 84 %

New diagnostic tools and medications available

High treatment costs

Samples with national coverageSamples with sub-national coverage







Overdose deaths

Over 6 100 deaths in 2013

Recent increases a concern

Trends in overdose deaths







Preventing drug overdoses and deaths

Target population Intervention Increasing awareness and information about overdose risks Retention in **Treatment** treatment as a protective factor Needle and Harm syringe programmes reduction Naloxone programmes Emergency Naloxone administration interventions



Drug consumption rooms




- 70+ supervised facilities
- 'Local' response to reduce harms, deaths and connect users with services
- Types: integrated, specialised and mobile facilities





Evidence is core: Best Practice Portal



THE COCHRANE

COLLABORATION®

EGIONAL OFFICE FOR EUROPE



Major EMCDDA activities in 2015

- 1. European Drugs Report package 2014
- Lisbon launch
- National launches
- 2. EMCDDA publications
- Insight publication on HCV treatment
- Insight publication on Naloxone
- 3. Key EMCDDA experts meetings
- June DRID Expert meeting
- September 20 Years Monitoring
- September Lisbon Addiction 2015 (incl. sponsored session on HCV)

- 4. Joint ECDC-EMCDDA:
- Latvia Common Mission report
- Dublin monitoring
- Wound botulism
- 5. Other collaborations
- JA on HIV
- JA on Harm reduction
- 6.UN special session on drugs in 2016



