
Impact of the COVID-19 pandemic on the diagnosis of HIV, viral hepatitis and STI and TB – Situation in Poland



Magdalena Ankiersztejn-Bartczak – PhD

Third wave of Covid-19






05.03.2021

Background information: HIV testing

- Lockdown for VCTs from 16.03 30.05
- From 1.06 special restrictions: on-line or phone appointment to VCTs
- From 14.04. FES Testing Helpline (1700 calls/ 2020; 528/ 2021)
- Free self HIV testing- order to home

05.03.2021

HIV testing in VCT's in Poland 2015-2020 Source: NatioInal AIDS Centre, Anna Nastały-Ratusińska, HIV conference 30.11.2020



The Simplitude™ ByMe™

The first all-in-one self-test designed to make your testing experience easier The Simplitude[™] ByMe[™] rapid diagnostic test enables you to accurately test yourself for HIV, at your convenience.









#ENDAIDS social campaign 2020 <u>www.projekttest.pl</u> Agata Stola - coordinator



Bezpieczny seks, czyli wszystko o prezerwatywach. - HIVcasty Wszystko co chcecie wiedzieć na temat prezer...



Bezpieczny seks, czyli wszystko o prezerwatywach. - HIVcasty Wszystko co chcecie wiedzieć na temat prezer...

FOUNDATION FOR SOCIAL EDUCATION

Testing at home during COVID-19 If you want to do HIV self test ...

Call	Tell	Learn	Receive	Click	Use	Call
Call our free infoline 800 14 14 23	Tell your HIV counselor, that "you want to do HIV self test"	Learn from us how to do it, unswer for a few questions	Save the code you will receive during the conversation	Click "order test"	Use the saved code, then you will receive the test for free	Call again and say what is the result

14.04–04.03.2021: after 11month's experience(data from anonymousconsultations - not published)


- 1062 orders for free tests: 57.5 % men; 42.5% women
- 65,5% heterosexual orientation
- 52.6% never had a test before


Heteroseksualna Homoseksualna

Trudno powiedzieć


Biseksualna

Inna





- WHO good practice
- Zoom presentation



and the second weather the second comprehensive topport is made available for a confirmatory basis to be made at a Monotony and access to provide the second damage (MP).

independent MV beating

In the first six weeks of the behavior and blick

https://harmreductioneurasia.org/covid-19-practices-english/

CONCLUSIONS

- COVID-19 has a huge impact for HIV and STIS testing
- Continuing to remind that European community that HIV, viral hepatitis and STI prevention, testing, care amd suport service are essencial serviices and must continue to be supported, especially during times of crisis

CONTACT:



Foundation for Social Education

Sewerynów 4/100

00-331 Warsaw

Poland

www.fes.edu.pl

FB: FundacjaEdukacjiSpolecznej

mail: m.bartczak@fes.edu.pl

